

Lead Safe™

TSP Saturated Wipes for Lead Dust Removal



Product Description

5498-White

Lead Safe Dust Wipes are convenient, consumer friendly, easy-to-use, heavy-duty, TSP (TriSodium Phosphate) pre-soaked wipes for the quick removal of harmful lead dust. Lead Safe meets all Federal, State, HUD, and EPA guidelines for cleaning and removing lead dust. Lead Safe wipes are a critical part of a conscientious program for the Interim Control of Lead-Based Paint dust hazards.

Application Information

Lead Safe wipes are excellent to use on any surface where deteriorated lead-based paint dust is present; such as:

- Walls
- Windows
- Railings
- Ceilings
- Stairs
- Doors
- Fences
- Trims
- Sills
- Floors
- Blinds
- Gates
- Baseboards
- Porches
- Moldingss

Lead Safe wipes were designed for use by: Abatement contractors, painting contractors, public health inspectors, environmental specialists, home owners, building owners, and apartment renters.

AVAILABLE IN ONE RE-SEALABLE SIZE

90 – 8" x 12" towels.

For questions about Lead Safe, or other products in our lead abatement line call us at (800) 342-3755 or visit our Web Site at www.fiberlock.com.

Properties

Product Specifications

Active Ingredient: Trisodium Phosphate <0.1
Appearance: White Towelette
Odor: Slight Odor
Flash Point: Non-combustible
Shelf Life: 18 Months Min.
(Original Sealed Containers)

Available Package Sizes

90 Wipes, 6" x 6.5"



*LEED® and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.

Lead Safe

TSP Saturated Wipes for Lead Dust Removal

5498 - White

For Technical Information call 800.342.3755

These suggestions and data are based on information we believe to be reliable. They are offered in good faith, but without guarantee, as conditions and methods of use of this product are beyond our control. Neither Fiberlock Technologies, Inc., nor its agents shall be responsible for the use or results of use of this product or any injury, loss or damage, direct or consequential. We recommend that the prospective user determine the suitability of this product for each specific project and for the health and safety of personnel working in the area.

1028-3518